

GLOW

LED Small Light Engine

with BoardFree Technology

Versatile

- 4 Different Colors
- Easy to Use
- Multiple connector options
- Multiple light guide options



Rated IP67

- 12 VDC
- 20 mA Current
- Acrylic/ABS Materials
- 1 LED

Designed with Durability in Mind

- Fully sealed electronics & optics
- Shock and vibration resistant
- Corrosion-resistant
- Dirt & Dust Proof

The LED Ambient Light Module.

Our ambient lighting platform offers the versatility and design flexibility to fit many lighting applications. Choose from the options below to build a lighting solution that is right for you.

Single Color LED ■ Details

Features

- Homogeneous accent lighting
- Design freedom with flexibility
- Easy integration into tight locations
- Direct contour illumination
- Automotive grade components
- Custom connector available



Applications

- Door accent
- Dashboard accent
- Controls
- Door pockets
- Center console
- Cup holders and more



Application Tips

- One light engine can be used for up to 24"
- Light engines can be attached to both ends when using light pipes that exceed 24"
- Docking features work with rigid & flexible light pipes



Dynamic RGB LED ■ Details

Features

- RGB - LIN & PWM controlled
- Homogeneous accent lighting
- Design freedom with flexibility
- Easy integration into tight locations
- Programmable
- Automotive grade components




Applications

- Door accent
- Dashboard accent
- Controls
- Door pockets
- Center console
- Cup holders and more



Application Tips

- One light engine can be used for up to 24"
- Light engines can be attached to both ends when using light pipes that exceed 24"
- Docking features work with rigid & flexible light pipes



LED Light Guides ■ Details

Features

- Homogeneous accent lighting
- Design freedom with flexibility
- Easy integration into tight locations
- Direct contour illumination
- Automotive grade components
- Custom connector available
- Flexible material



Applications

- Door accent
- Dashboard accent
- Controls
- Door pockets
- Center console
- Cup holders and more



Applications Tips

- One light engine can be used for up to 24"
- Light engines can be attached to both ends when using light pipes that exceed 24"
- Docking features work with rigid & flexible light pipes

